



## Benefits:

- Promotes tilth, revegetation and crumb formation for increased soil fertility, free of grasses
- **viterra® BODENGARE** is suitable for cover cropping for soil regeneration after very early harvest, very little seed formation
- Consistent tilth supports flow of air and water and prevents slurry seal coating
- Enriches plant community and habitat for insects and beneficial organisms
- Collects additional nitrogen due to high share of legumes
- Free of crucifers, therefore especially suitable for oilseed rape crop rotation
- **viterra® BODENGARE** is also available as an organic - mixtures

## Blend details:

Composition of blend Seeds %	1 % Small-seeded faba bean AVALON
	12 % berseem clover OTTO
	1 % blue lupin ILDIGO
	34 % bigflower clover
	8 % persian clover FELIX
	30 % phacelia ANGELIA
	2 % Spring forage pea
	5 % Common vetch NEON
	< 1 % Sunflower
	6 % common sorghum

without cruciferae, with legumes, Without grass, not winter-hardy

**Usage:**

No multiplication of beet cyst nematodes  
 Green manure  
 Humus formation  
 Protection against erosion  
 Nitrogen fixation  
 Mulch sowing  
 Pollinator attractiveness

**Crop rotation suitability:**

+ suitable / ++ strongly recommended

Maize	++
Cereals	++
Oilseed rape	++
Sugar beets	+
Potatoes	
Intensive crops	
Legumes	

**Agronomic features:**

bad / early / short / low      good / late / long / high / tall

Weed suppression	5
Protection against erosion	7
Ground water protection / Nitrogen conservation	6
Humus formation	6
Cold- and frost resistance	2
Drought tolerance	6

Type of root	Tuft root + Tap root
Rooting depth	150 cm

**Cultivation recommendations:**

Recommended sowing rate	50 kg/ha
Sowing depth	2 - 3 cm
Sowing period	Mid-June to mid-August - depending on location!
Fertilization	Due to the high legume content, fertilisation is not necessary.
Crop protection	Usually there is no crop protection required
Sowing method	Drill sowing ensure high crop emergences