

ERBSEINTRITICALE

... winter-hardy mixture for WCS (whole crop silage) and grain use

Usage:

Biogas- and fodder production
 Protection against erosion
 Nitrogen fixation
 Mulch sowing

Crop rotation suitability:

+ suitable / ++ strongly recommended

Maize	++
Cereals	+
Oilseed rape	++
Sugar beets	+
Potatoes	
Intensive crops	
Legumes	

Agronomic features:

bad / early / short / low good / late / long / high / tall

Weed suppression	7
Protection against erosion	7
Ground water protection / Nitrogen conservation	4
Humus formation	5
Cold- and frost resistance	9
Drought tolerance	3

Type of root	Tuft root
Rooting depth	80 cm

Cultivation recommendations:

Representative: P. H. PETERSEN Saatzucht Lundsgaard GmbH, Version: 24.01.2025 / 4.00

ERBSEINTRITICALE

... winter-hardy mixture for WCS (whole crop silage) and grain use

Recommended sowing rate	150 - 170 kg/ha
Sowing depth	1 - 2 cm
Sowing period	Mid September until mid October
Fertilization	An early fertilization to promote the initial development is recommended.
Crop protection	Usually there is no plant protection required
Sowing method	Drill sowing ensure high crop emergences
Harvest	From standing crop; side knives are recommended
Harvest date	Yellow ripeness in mid to end June or treshing